

FIG. 2




FIG. 4




FIG. 5

REQUEST PACKET	RESPONSE PACKET
NOTIFY* HTTP/1.1 HOST: 239.255.255.250:1900 CACHE-CONTROL: max-age = NUMBER OF SECONDS UNTIL COMMUNICATION IS COMPLETED LOCATION: URL TO UPNP DESCRIPTION OF ROOT DEVICE NT: SEARCH TARGET NTS: SSdp:alive SERVER: OS NAME/OS VERSION UPNP/1.0 PRODUCT NAME/PRODUCT VERSION USN: NOTICE UUID	NONE
DISCOVERY REQUEST PACKET M-SEARCH * HTTP/1.1 Host:239.255.255.250:1900 MAN: "ssdp:discover" MX: RESPONSE DELAY TIME (SEC.) ST: SEARCH TARGET	DISCOVERY RESPONSE PACKET HTTP/1.1 200 OK CACHE-CONTROL: max-age = NUMBER OF SECONDS UNTIL COMMUNICATION IS COMPLETED DATE: DATE AND TIME OF CREATION OF RESPONSE EXT:LOCATION: URL TO UPNP DESCRIPTION OF ROOT DEVICE SERVER: OS NAME/OS VERSION UPNP/1.0 PRODUCT NAME //PRODUCT VERSION ST: SEARCH TARGET
CONTROL RESPONSE PACKET POST path of control URL HTTP/1.1 HOST: host of control URL:port of control URL CONTENT-TYPE: text/xml; charset="utf-8" SOAPACTION: "urn:schemas-upnp-org:service:serviceType:v#actionName" <s:envelope <s:body="" s:encodingstyle="http://schemas.xmlsoap.org/soap/envelope/" xmlns:s="http://schemas.xmlsoap.org/soap/envelope/"> <u.:actionname xmlns:u="urn:schemas-upnp-org:service:serviceType:v"> <u.:actionname <s:envelope="" s:encodingstyle="http://schemas.xmlsoap.org/soap/encoding/" utf-8"="" xmlns:s="http://schemas.xmlsoap.org/soap/envelope/" xmlns:u="urn:schemas-upnp-org:</td><td>CONTROL RESPONSE PACKET HTTP/1.1 200 OK CONTENT-TYPE: text/xml; charset="> <s:envelope xmlns:s="http://schemas.xmlsoap.org/soap/encoding/"> <s:envelope xmlns:s="http://schemas.xmlsoap.org/soap/encoding/"> <s:envelope xmlns:s="http://schemas.xmlsoap.org/soap/encoding/"> <s:envelope:"> <ur> <ur> <ur> <ur> <ur> <ur> <ur> <ur< td=""></ur<></ur></ur></ur></ur></ur></ur></ur></s:envelope:"></s:envelope></s:envelope></s:envelope></u.:actionname></u.:actionname></u.:actionname></u.:actionname></u.:actionname></u.:actionname></u.:actionname></u.:actionname></u.:actionname></u.:actionname></u.:actionname></u.:actionname></u.:actionname></u.:actionname></u.:actionname></u.:actionname></u.:actionname></u.:actionname></u.:actionname></u.:actionname></u.:actionname></u.:actionname></u.:actionname></u.:actionname></u.:actionname></s:envelope>	

FIG. 6

REQUEST PACKET	RESPONSE PACKET
ALIVE PACKET HOST: 239.255.255.250:1900 CACHE-CONTROL:max-age=60 LOCATION:http://192.168.0.1:80/upnp/service/des_ppp.xml NT: urn:schemas-upnp-org:service:PlayCD:1 NTS: ssdp:alive SERVER:NT/5.0 UPnP/1.0 USN:uuid:upnp-CDPlayer-1_0-0002B3267A4C::urn:schemas-upnp-org:service:PlayCD:1	NONE
DISCOVERY REQUEST PACKET M-SEARCH * HTTP/1.1 MX: 3 HOST: 239.255.255.250:1900 MAN: "ssdp:discover" ST: urn:schemas-upnp- org:service:PlayCD:1	DISCOVERY RESPONSE PACKET HTTP/1.1 200 OK CACHE-CONTROL: max-age = 60 LOCATION:http://192.168.0.1:80/upnp/service/des_ppp.xml SERVER:NT/5.0 UPnP/1.0 ST:urn:schemas-upnp-org:service:PlayCD:1 EXT: USN:uuid:upnp-CDPlayer-1_0-0002B3267A4C::urn:schemas- upnp-org:service:PlayCD:1
CONTROL RESPONSE PACKET POST /upnp/service/PlayCDHTTP/1.1 HOST: 192.168.0.1:80 CONTENT-LENGTH: bytes in body ←-SIZE OF BODY IS ENTERED HERE. CONTENT-TYPE: text/xml; charset="utf-8" SOAPACTION: urn:schemas-upnp-org:service:PlayCD:1#Play xml version="1.0"? ASAPACTION: urn:schemas-upnp-org:service:PlayCD:1#Play <?xml version="1.0"? <soapaction: "="" encoding="" soap="" urn:schemas.xmlsoap.org=""> <!--xml version="1.0"?--> <!--xml version="1.0"?</!--> <!--xml version="1.0"?</!--> <!--!xml version="1.0"? <!xml version=</td--><td>CONTROL RESPONSE PACKET HTTP/1.1 200 OK CONTENT-LENGTH: bytes in body←SIZE OF BODY IS ENTERED HERE. CONTENT-LYPE: text/xml; charset="utf-8" DATE: when response was generated EXT: SERVER: OS/version UPnP/1.0 product/version <?xml version="1.0"?> <?Xml version="1.0"?> <soap-env:envelopexmlns:soap- env:encodingstyle="http://schemas.xmlsoap.org/soap/encoding/"> <soap-env:envelopexmlns:soap- env:encodingstyle="http://schemas.xmlsoap.org/soap/encoding/"> <soap-env:body> </soap-env:body> </soap-env:envelopexmlns:soap-></soap-env:envelopexmlns:soap-></td></soapaction:>	CONTROL RESPONSE PACKET HTTP/1.1 200 OK CONTENT-LENGTH: bytes in body←SIZE OF BODY IS ENTERED HERE. CONTENT-LYPE: text/xml; charset="utf-8" DATE: when response was generated EXT: SERVER: OS/version UPnP/1.0 product/version xml version="1.0"? Xml version="1.0"? <soap-env:envelopexmlns:soap- env:encodingstyle="http://schemas.xmlsoap.org/soap/encoding/"> <soap-env:envelopexmlns:soap- env:encodingstyle="http://schemas.xmlsoap.org/soap/encoding/"> <soap-env:body> </soap-env:body> </soap-env:envelopexmlns:soap-></soap-env:envelopexmlns:soap->

F1G, 7

REQUEST PACKET	RESPONSE PACKET
STATUS ACQUISITION REQUEST PACKET	STATUS ACQUISITION REQUEST PACKET
POST path of control URLHTTP/1.1 HOST: host of control URL:portof control URL CONTENT-LENGTH: bytes in body	HTTP/1.1 200 OK CONTENT-LENGTH: bytes in body CONTENT-TYPE: text/xml; charset="utf-8"
SOAPACTION: "urn:schemas-upnp-org:control-1- 0#QueryStateVariable"	DATE: when response was generated EXT: SERVER: OS/versionUPnP/1.0 product/version
<pre><s:envelope s:encodingstyle="http://schemas.xmlsoap.org/soap/encoding/" xmins:s="http://schemas.xmlsoap.org/soap/envelope/"></s:envelope></pre>	<pre><s:envelope s:encodingstyle="http://schemas.xmlsoap.org/soap/encoding/" xmlns:s="http://schemas.xmlsoap.org/soap/envelope/"> <s:bndv></s:bndv></s:envelope></pre>
<pre><s:body> <u.querystatevariablexmlns:u="urn:schemas-upnp- org:control-1-0"=""></u.querystatevariablexmlns:u="urn:schemas-upnp-></s:body></pre>	org:control 1-0"> - ". QueryStateVariableResponsexmins:u="urn:schemas-upnp-org:control 1-0">
<pre><u:varname>variableName</u:varname> </pre>	<return>variable value</return>

